



問題集

http://www.ktest.jp 1年で無料進級することに提供する **Exam** : 1T6-111

Title: Troubleshooting and

Management with Sniffer

Distributed

Version: DEMO

1. Which of the following are components of the Sniffer Enterprise Management Architecture?
A. Sniffer Distributed Agents and Sniffer Monitors
B. Sniffer Distributed Agents and Sniffer Distributed Consoles
C. Sniffer Distributed Consoles and Sniffer Monitors
D. Sniffer Distributed Agents and Switch Monitors Answer: B
2. When deploying Sniffer Distributed in your network, where should Sniffer analyzers be placed?
A. On backbones and uplinks
B. On critical ports and segments
C. On WAN connections
D. All of the above Answer: D
3 is a protocol that enables software components to communicate directly over a network in a reliable, secure and efficient manner.
A. Distributed Console Out-of Band
B. Distributed Communication Module
C. Distributed Component Object Model
D. None of the above Answer: C
4. With Sniffer Distributed RMON+ :
A. Capture and decode occurs and stays at the Sniffer Distributed Appliance, not the console
B. Capture and decode does not occur
C. Has the same functionality as Expert
D. Has no support for Expert Analysis Add-on Answer:A
5. Controlling and viewing agents is the job of which of the following components?

A. Sniffer Distributed Console
B. Sniffer Distributed Agent C. Sniffer Monitor
D. Sniffer Portable Network Analyzer Answer:A
6. What protocol does the Distributed Appliance used to communicate with the console? :
A. DCOM
B. SCOM
C. WCOM
D. JOCM Answer:A
7. Sniffer Distributed Agents need at least adapter(s).
A. One
B. Two
C. Three
D. Four Answer: B
8. Which of the following is true about RMON+?
A. is basically the same as Expert
B. is capable of capturing traffic but not monitoring
C. RMON+ capture can be looked at by an agent with the Expert option
D. B and C Answer: C
9. The WAN600 (WANE) adapter provides RS/V ports.
A. 2
B. 4
C. 6

D. 8 Answer: B
10. With Sniffer Distributed, which of the following monitor adapters are supported?
A. 10/100 Ethernet
B. 4-port Ethernet
C. Token Ring
D. All of the above Answer: D
11. When configuring a Monitor adapter, disable all protocols except:
A. TCP/IP
B. IPX
C. Sniffer Driver
D. WINS Answer: C
12. True or false? Full Duplex Ethernet and ATMbook are the only agents supported with pods.
A. True
B. False Answer:A
13. What does Remote Desktop 32 enable you to do?
A. Take remote control of the agent from any computer on the network
B. Take remote control of the agent through a dial-in connection
C. Configure the agent from a remote workstation
D. All of the above Answer: D
14. There are versions of Gigabit Ethernet cards.
A. 2

B. 3
C. 4
D. 6 Answer: B
15. True or false? VirusScan is installed on all our 4.3.X Appliances.
A. True
B. False Answer:A
16. With Time Synchronization which server polls the Secondary Time Server?
A. Primary Time Server
B. Master Time Server
C. Designated Time Server
D. None of the above Answer: D
17. Which of the following is true about transport adapters?
A. Communicate with the console to control the agent
B. Send data to third party RMON applications
C. Attach to and sniff the network segment(s)
D.A and B Answer: D
18. Which adapter communicates with the console via IP/UDP and IP/TCP?
A. Transport
B. Monitor
C. WANE
D. LM2000 Answer:A

- 19. Which of the following is true about monitor adapters?
- A. Communicate with the console to control the agent
- B. Send data to third party RMON applications
- C. Attach to the network to gather Sniffer data

D.A and B

Answer: C

- 20. Given permissions, what can the passive user in a session do?
- A. Capture and generate packets
- B. Capture, generate packets and manage the database
- C. Capture, generate packets, manage the database and reset real time statistics
- D. None of the above

Answer: D

This document was created with Win2PDF available at http://www.win2pdf.com. The unregistered version of Win2PDF is for evaluation or non-commercial use only. This page will not be added after purchasing Win2PDF.