



問題集

http://www.ktest.jp 1年で無料進級することに提供する

# Exam : 1V0-41.20PSE

# Title:Associate VMware NetworkVirtualization

## Version : DEMO

1.Given this exhibit:

	Name	ID	Sources	Destinations	Services	Profiles	Applied to	Action	
٥	Block SSH Traffic (1)	Category: LOCAL GATEWAY		AY					00
0	Block SSH		Any	B App-Servers DB-Servers Web-Servers	O SSH	None	TO-GW-01	• Drop ∽	<b>•</b> • •

Which statement is true about the firewall rule?

A. It is a distributed firewall applied to App-Servers, DB-Servers and Web-Servers that rejects traffic on port 22.

B. It is a gateway firewall applied to a Tier-1 gateway that rejects traffic on port 22.

C. It is a distributed firewall applied to App-Servers, DB-Servers and Web-Servers that drops traffic on port 22.

D. It is a gateway firewall applied to a Tier-0 gateway that drops traffic on port 22.

Answer: D

#### 2. Given this exhibit:

Host Transport Nodes Edge Transport Nodes Edge Clusters ESXi Bridge Clusters NCP Clusters

FIGURE NSX 🗍 REMOVE NSX	@ ACTION								
		5 *						V	iew All
Node	ID	IP Addresses	OS Type	NSX Configuration	NSX Version	Host Switches	Tunnels	TEP IP Addresses	Node Status
<ul> <li>SA-Management-Ed</li> </ul>	MoRef ID: d								3 Hosts Not Configured
sa-esxi-02.vclass.local	b9911023	172.20.10.52, 172	ESXi 7.0.0	Not Configured		0	Not Available		Not Available
sa esxi 01.vclass.local	b9911011	172.20.10.51, 172.2	ESXi 7.0.0	Not Configured		0	Not Available		Not Available
sa esxi-03.vclass.local	Ь9911020	172.20.10.53, 172	ESXi 7.0.0	Not Configured		0	Not Available		Not Available
<ul> <li>SA-Compute-01 (2)</li> </ul>	MoRef ID: d			Applied Profile: E					😑 2 Hosts Up 🕕
sa-eski-05.vclass.local	09068750	172.20.10.55, 172	ESXi 7.0.0	Success	3.0.0.0.15	1	15	172.20.11.152	. Up 🛈
sa-esxi-04.vclass.local	c36567fb	172.20.10.54, 172	ESXi 7.0.0	Success	3.0.0.0.15	1	1.6	172.20.11.151	• Up 🕔
	<ul> <li>SA-Management-Ed</li> <li>sa-esxi-02.vclass.local</li> <li>sa-esxi-03.vclass.local</li> <li>SA-Compute-01 (2)</li> <li>sa-esxi-05.vclass.local</li> </ul>	SA-Management-Ed         MoRef ID: d           sa-esxi-02.vclass.local         b9911023           sa esxi-01.vclass.local         b9911011           sa-esxi-03.vclass.local         b9911020           SA-Compute-01 (2)         MoRef ID: d           sa-esxi-05.vclass.local         09068750	SA-Management-Ed         MoRef ID: d           sa-esxi-02.vclass.local         b9911023         172.20.10.52, 172           sa-esxi-03.vclass.local         b9911011         172.20.10.51, 172.2           SA-Compute-01 (2)         MoRef ID: d         sa-esxi-05.vclass.local         09068750         172.20.10.55, 172	SA-Management-Ed         MoRef ID: d           sa-esxi-02.vclass.local         b9911023         172.20.10.52, 172         ESXi 7.0.0           sa-esxi-03.vclass.local         b9911011         172.20.10.51, 172.2         ESXi 7.0.0           sa-esxi-03.vclass.local         b9911020         172.20.10.51, 172.2         ESXi 7.0.0           SA-Compute-01 (2)         MoRef ID: d         ESXi 7.0.0         ESXi 7.0.0           sa-esxi-05.vclass.local         09068750         172.20.10.55, 172         ESXi 7.0.0	SA-Management-Ed         MoRef ID: d           sa-esxi-02.vclass.local         b9911023         172.20.10.52, 172         ESXi 70.0         Not Configured           sa-esxi-03.vclass.local         b9911011         172.20.10.51, 172.2         ESXi 70.0         Not Configured           SA-Compute-01 (2)         MoRef ID: d         ESXi 70.0         Not Configured           sa-esxi-05.vclass.local         09068750         172.20.10.55, 172         ESXi 70.0         Not Configured	SA-Management-Ed.         MoRef ID: d           sa-esxi-02.vclass.local         b9911023         172.20.10.52, 172         ESXi 7.0.0         Not Configured           sa-esxi-03.vclass.local         b9911011         172.20.10.53, 172         ESXi 7.0.0         Not Configured           sa-esxi-03.vclass.local         b9911020         172.20.10.53, 172         ESXi 7.0.0         Not Configured           SA-Compute-01 (2)         MoRef ID: d         Applied Profile: E         sa-esxi-05.vclass.local         09068750         172.20.10.55, 172         ESXi 7.0.0         Success         3.0.0.0.15	SA-Management-Ed         MoRef ID: d           sa-esxi-02.vclass.local         b9911023         172.20.10.52, 172         ESXi 7.0.0         Not Configured         0           sa-esxi-03.vclass.local         b9911011         172.20.10.51, 172.2         ESXi 7.0.0         Not Configured         0           sa-esxi-03.vclass.local         b9911020         172.20.10.53, 172         ESXi 7.0.0         Not Configured         0           SA-Compute-01 (2)         MoRef ID: d         Applied Profile: E	SA-Management-Ed       MoRef ID; d         sa-esxi-02.vclass.local       b9911023       172.20.10.52, 172       ESXi 7.0.0       Not Configured       0       Not Available         sa-esxi-03.vclass.local       b9911011       172.20.10.53, 172       ESXi 7.0.0       Not Configured       0       Not Available         sa-esxi-03.vclass.local       b9911020       172.20.10.53, 172       ESXi 7.0.0       Not Configured       0       Not Available         SA-Compute-01 (2)       MoRef ID: d       Applied Profile: E       5	• SA-Management-Ed       MoRef ID: d         sa-esxi-02.vclass.local       b9911023       172.20.10.52, 172       ESXi 7.0.0       Not Configured       0       Not Available         sa-esxi-03.vclass.local       b9911011       172.20.10.51, 172       ESXi 7.0.0       Not Configured       0       Not Available         sa-esxi-03.vclass.local       b9911020       172.20.10.53, 172       ESXi 7.0.0       Not Configured       0       Not Available         SA-Compute-01 (2)       MoRef ID: d       Applied Profile: E

#### Which statement is true about the host transport nodes?

A. sa-esxi-04.vclass.local is successfully prepared for NSX with a TEP address of 172.20.11.151.

B. sa-esxi-02.vclass.local is successfully prepared for NSX with a TEP address of 172.20.10.52.

C. sa-esxi-05.vclass.local is successfully prepared for NSX with a TEP address of 172.20.10.55.

D. sa-esxi-03.vclass.local had an error while being prepared for NSX with no TEP address assigned. **Answer:** A

3.A customer needs to simplify application migration, workload rebalancing, and business continuity across data centers and clouds.

Which product can help?

A. vRealize Operations

- B. NSX Cloud
- C. VMware Carbon Black
- D. VMware HCX

#### Answer: D

#### Explanation:

Reference: https://docs.vmware.com/en/VMware-HCX/services/user-guide/GUID-A7E39202-11FA-476A-A795-AB70BA821BD3.html

The safer , easier way to help you pass any IT exams.

4. Which plane in the NSX-T Data Center Architecture is used to create, read, update, and delete (CRUD) operations?

- A. Local Control Plane (LCP)
- B. Management Plane
- C. Data Plane
- D. Central Control Plane (CCP)

## Answer: B

## Explanation:

Reference: https://docs.vmware.com/en/VMware-NSX-Data-Center-forvSphere/6.4/com.vmware.nsx.troubleshooting.doc/GUID-88BA25EC-126B-41EE-9F06-BD6235C9EC77.html

5.An administrator is planning to upgrade hardware and needs to keep the virtual machines online during the process.

Which vSphere feature will allow this to occur?

- A. vSphere Distributed Power Management
- B. vSphere Distributed Resource Scheduler
- C. vSphere High Availability
- D. vSphere Motion

Answer: D