

KTest

更に上のクオリティ 更に上のサービス



問題集

<http://www.ktest.jp>

1年で無料進級することに提供する

Exam: **1Z0-593**

Title : Oracle Real Application
 Clusters 11g Essentials

Version : Demo

1.Once OUI recognizes a set of nodes in a cluster, which three choices does it offer when installing the Oracle Database 11g Release 2 software?

- A. You can only install the Oracle Database with the RAC option on selected nodes.
- B. OUI forces you to configure ASM for shared storage before proceeding.
- C. You can install the Oracle Database as a single instance or with the RAC option on all the nodes.
- D. You can install the Oracle Database as a single instance or with the RAC option on selected nodes.
- E. You can install Oracle RAC One Node.

Answer: B,D,E

2.In the following line, which is the result of a “crsctl query css votedisk” command (which is missing the column headers in the output)

What does the [DATA] indicate?

1. ONLINE 62a46a99b0434f8abf16f338c85203160 (/dev/xvdc1) [DATA]
- A. It Indicates that the Voting Disk contains Oracle Cluster ware data
 - B. It Indicates that the Voting Disk is managed in the ASM diskgroup "DATA"
 - C. It Indicates that the Voting Disk "DATA" is online on disk /dev/xvdc1
 - D. It indicates that the ASM diskgroup "DATA" stores only the Voting Disk

Answer: B

3.Which three items can be stored on the ACFS (Oracle ASM Cluster File System)?

- A. Oracle Database Homes (shared home approach)
- B. Any type of application-related configuration or log files
- C. The Oracle Grid Infrastructure Home
- D. Oracle Backup Sets (RMAN backup sets)

Answer: A,B,D

4.When installing the Oracle Database with OUI, when are configuration scripts executed?

- A. Before installation begins
- B. After prerequisites check finished
- C. After the software has been installed
- D. Automatically throughout the installation process

Answer: C

5.You want to stop a CRSCCTL command that is active.

How should you do this?

- A. With the abort command
- B. With CTRL-C
- C. With CTRL-X
- D. With CTRL-A
- E. With CTRL-ALT-DEL

Answer: B

6.You want to install Grid Infrastructure for a cluster and the Oracle Database software (with the RAC option).

Do you need SSH user equivalency?

- A. Yes, to ensure security during the installation.
- B. Yes, to set up administrative privileges for the DBA.
- C. Yes, to allow the use of SSH and SCP without being prompted for a pass phrase.
- D. No, you don't need SSH user equivalency.

Answer: C

7.Which two statements about the SRVCTL utility are correct?

- A. SRVCTL must be run from the RAC database ORACLE_HOME/bin directory when used to manage that database.
- B. The SRVCTL command cannot be used to manage Oracle Grid Infrastructure.
- C. Every command requires an object on which to operate.
- D. A comma-delimited list should be enclosed in single quotes.

Answer: A,C

8.How do you enable automatic backup of the OCR?

- A. With the ocrconfig autobackup command
- B. With the ocrconfig -backup command
- C. With the ocrconfig -backuploc command
- D. You don't have to enable this, Oracle Clusterware does it automatically

Answer: D

9.What does the Oracle Validated Configuration RPM do?

- A. Configures parameters and adds new packages, where necessary
- B. Validates hardware configuration for RAC
- C. Performs cluster integrity checks
- D. Installs pre-validated Oracle Database and Grid Infrastructure software

Answer: D

10.List the syntax supported by the Cluster Verification Utility (CVU).(select all that apply)

- A. comp - To show valid components with description
- B. stage - To list pre and post checks of stages
- C. asm - To list valid disks available
- D. dbstat - To list number of instances available online

Answer: A,B