

KTest

更に上のクオリティ 更に上のサービス



問題集

<http://www.ktest.jp>

1年で無料進級することに提供する

Exam : **200-710**

Title : **Zend Certified Engineer**

Version : **DEMO**

1.What is the difference between the spaceship operator(<=>) and the strcmp() function?

- A. There is no difference in functionality
- B. strcmp() returns a Boolean value, the spaceship operator a number
- C. strcmp() does a case-intensive comparison, the spaceship operator does not
- D. The spaceship operator returns -1, 0 or 1; strcmp() may return any integer

Answer: D

2.Which of these error types may be handled by a user defined error handler function? (Choose two.)

- A. E_ERROR
- B. E_NOTICE
- C. E_PARSE
- D. E_WARNING

Answer: B,D

3.CORRECT TEXT

What is the output of the following code?

```
$a = [1 => 'Apple', 3 => 'Cactus', 5 => 'Elderflower'] +  
      ['Banana', 'Dragon Fruit', 'Fig'];  
echo count($a);
```

?>

What is the output the following code?

Answer:

5

4.What is the output of the following code?

```
$string = 'Good luck!';  
$start = 10;  
var_dump(substr($string, $start));
```

>?

- A. string(0) ""
- B. bool(false)
- C. string(1) "l"
- D. string(2) "k!"

Answer: A

5.Consider 3 PHP files that are called asynchronously via XmlHttpRequest:

```
// s1.php  
session_start();  
sleep(1);
```

```
// s2.php  
session_start();  
sleep(2);
```

```
// s3.php  
session_start();  
sleep(3);
```

Which of the following statements is true? (Choose two.)

- A. The total execution time for all 3 requests will be the maximum of the longest sleep() call
- B. The requests may be processed out of order
- C. The requests are guaranteed to be executed in order
- D. Concurrent requests will be blocked until the session lock is released

Answer: AB