

KTest

更に上のクオリティ 更に上のサービス



問題集

<http://www.ktest.jp>

1年で無料進級することに提供する

Exam : **300-460**

Title : Implementing and
Troubleshooting the Cisco
Cloud Infrastructure

Version : DEMO

1.Which three statements about server pools are true? (Choose three.)

- A. Cisco USC Director Displays only the managed servers in a server pool, but the size of the pool includes all servers.
- B. Servers pools cannot be assigned to a Cisco USC Director group.
- C. A given server can belong only to a specific server pool.
- D. A server pool contains a set of servers that share the same attributes such as server type, amount of memory, local storage, type of CPU, or local drive configuration.
- E. A server pool only includes servers from a specific chassis in the system.
- F. If your system implements multitenancy through organizations, you can designate one ore more server pools to be used by a specific organization.

Answer: ADF

Explanation:

Reference:


http://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/ucs-director/ucs-mgmt-guide/4-0/b_Cisco_UCS_Director_UCS_Management_Guide_40/b_Cisco_UCS_Director_UCS_Management_Guide_40_chapter_0110.html

2.A Cisco USC Director administrator is configuring his pod on the Physical > Compute Tab. Which three tabs are available under this menu? (Choose three.)

- A. UCS Chassis
- B. Datastore Capacity Report
- C. CloudSense
- D. Chargeback
- E. Compute Servers
- F. Compute Accounts

Answer: AEF

Explanation:



3.Which four options are required on a DHCP server to enable PXE boot? (Choose four.)

- A. boot server host name (TFTP server hostname or IP address)
- B. subnet mask
- C. DNS server
- D. lease time
- E. domain name
- F. bootfile name
- G. router (Gateway)

Answer: ABCG

Explanation:

Reference: Refer to table 1 of the link:

http://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/ucs-director/bma-install-config/4-1/b_ucsd_bma_install_config_guide_41/b_ucsd_bma_install_config_guide_41_chapter_0100.html

4.A Cisco USC Director administrator is viewing the workflow input and output status of a service request. Which option lists the steps that accomplish this task?

- A. On the menu bar, choose Organizations > My Approvals.

Choose a user group.

Click the Service Request tab.

Choose a service request.

Click View Details, and choose the Log tab.

- B. On the menu bar, choose Organizations > Virtual Resources. Click the Service Requests tab. Choose the service request. Click View Details, and choose the Input/Output tab.

- C. On the menu bar, choose Organizations > Service Requests. Click the Service Requests tab. Choose the service request. Click View Details, and choose the Input/Output tab.

- D. On the menu bar, choose Organizations > Service Requests. Choose a user group. Click the Service Request tab. Choose a service request. Click View Details, and choose the Log tab.

Answer: D

Explanation:

Reference:

http://www.cisco.com/c/en/us/td/docs/cloud-systems-management/intercloud-fabric/2-1-2/user-guide/icf/b_Cisco_Intercloud_Fabric_User_Guide_Release_2_1_2/b_Cisco_Intercloud_Fabric_User_Guide_Release_2_0_chapter_01000.html

5.An administrator is installing a hypervisor on a Cisco USB B-Series Blade Server. In which three locations can the OS image be installed in Cisco UCSM? (Choose three.)

- A. local disk
- B. CD-ROM
- C. PXE
- D. LAN boot
- E. SAN
- F. USB

Answer: ACE

Explanation:

Reference: http://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/sw/gui/config/guide/1-0-2/b_GUI_Config_Guide/GUI_Config_Guide_chapter25.pdf