

# KTest

更に上のクオリティ 更に上のサービス



## 問題集

<http://www.ktest.jp>


1年で無料進級することに提供する

**Exam** : **310-011**

**Title** : SUN Certified SYSTEM  
ADMINISTRATOR FOR  
SOLARIS 8 PART 1

**Version** : DEMO

1.Click the Exhibit button. The exhibit shows some of the commands available within a section of the format utility. Which single command should you type next in order to completely reorganize the disk label and be prompted for the size of each slice?



```
Terminal
Window Edit Options Help
partition>
partition>
partition>
partition>
partition>
partition> ?
Expecting one of the following: (abbreviations ok):
 0 - change `0` partition
 1 - change `1` partition
 2 - change `2` partition
 3 - change `3` partition
 4 - change `4` partition
 5 - change `5` partition
 6 - change `6` partition
 7 - change `7` partition
select - select a predefined table
modify - modify a predefined partition table
name - name the current table
print - display the current table
label - write partition map and label to the disk
!<cmd> - execute <cmd>, then return
quit
partition> █
```

- A.name
- B.print
- C.select
- D.modify

**Correct:D**

2.Within the partition menu of the format command, which single command should you type to use a predefined label that was previously saved? Answer:

- A.SELECT

**Correct:A**

3.Which subcommand within the format utility, when executed from the initial command menu, allows you to select a new disk?

- A.new
- B.disk
- C.save
- D.menu
- E.partition

**Correct:B**

4.A user logs into a system running the Solaris 8 Operating Environment using the telnet command. The user has been assigned a C shell (csh)and home /home/user1 directory. All of the following files exist with appropriate ownership and permissions. Which three files are used to initialize this user's session? (Choose three.)

- A./etc/login
- B./etc/.login
- C./etc/profile
- D./home/user1/.login
- E./home/user1/.kshrc
- F./home/user1/.cshrc
- G./home/user1/.profile

**Correct: B D F**

**5. You are working from a text-based terminal. Which command should you use to change a user's primary group? Answer:**

- A.USERMOD

**Correct: A**

**6. Which option of the usermod command allows the use of duplicate user IDs? Answer:**

- A.-O,O

**Correct: A**

**7. A user logs into a system running the Solaris 8 Operating Environment using the telnet command. The user has been assigned a Korn shell (ksh) and home /home/user1 directory. All of the following files exist with appropriate ownership and permissions. Which two files are always used by the Korn shell to initialize this user's session? (Choose two.)**

- A./etc/login
- B./etc/.login
- C./etc/profile
- D./home/user1/.login
- E./home/user1/.cshrc
- F./home/user1/.profile
- G./home/user1/.logout

**Correct: C F**

**8. The Solaris 8 Operating Environment allows users to change their passwords. By default, by how many characters must a new password differ from an old password for the change to be admitted? Answer:**

- A.3

**Correct: A**

**9. When using the command line to add, modify, or delete user accounts, or to add modify or delete groups, it is possible to use the -o option to allow duplicate users or group IDs. Which four commands support the use of the -o syntax? (Choose four.)**

- A.userdel
- B.adduser
- C.useradd
- D.usermod
- E.groupmod
- F.groupdel
- G.groupadd

**Correct: C D E G**

**10. Your system has just been brought to the boot prompt through an interrupt. Which command**

**should you now use to minimize the amount of disruption caused to the disk-file system?**

- A.sync
- B.fsck
- C.halt
- D.check
- E.umount
- F.probe-scsi

**Correct:A**

**11.From the OBP prompt, which command displays device aliases?**

- A.alias
- B.nvalias
- C.devalias
- D.prtalias

**Correct:C**

**12.Which file is used to enable or disable the mechanism by which a system may be interrupted and brought to the boot prompt?**

- A./etc/kbd
- B./etc/kybrd
- C./etc/keyboard
- D./etc/default/kbd
- E./etc/default/kbrd
- F./etc/default/abort
- G./etc/default/keyboard

**Correct:D**

**13.You have set up a permanent customized device alias at the OBP. Which command allows you to remove the alias?**

- A.unset
- B.unalias
- C.nvunalias
- D.devunalias
- E.unsetalias

**Correct:C**

**14.Which three configuration parameters are set up during the Solaris 8 Operating Environment custom installation procedure? (Choose three.)**

- A.64-bit support
- B.file system layout
- C.user disk usage quotas
- D.system printer selection
- E.software cluster configuration

**Correct:A B E**

**15.Which command should be used to uninstall patch 106793-01?**

- A.patchrm 106793-01
- B.patchdel 106793-01
- C.patchadd -d 106793-01

D.patchinfo -d 106793-01

**Correct:A**

**16.You have just installed the SUNWaudio package with the command: # /usr/sbin/pkgadd -d /cdrom/sol\_8\_sparc/s0/Solaris\_8/Product SUNWaudio Which command tests the accuracy of the package installation?**

A.pkgadd -v SUNWaudio

B.pkgchk -v SUNWaudio

C.pkginfo -v SUNWaudio

D.pkginst -v SUNWaudio

**Correct:B**

**17.Given: ls -ld telephone drwxrwsrwx 2 lesley sp 512 Aug 3 17:28 telephone Which command clears the SGID-bit causing this behavior?**

A.chmod g-l telephone

B.chmod g-s telephone

C.chmod 767 telephone

D.chmod 0777 telephone

E.chmod 0767 telephone

**Correct:B**

**18>Your umask value is set to 022 and you create a file. Which set of permissions are associated with this file?**

A.rw-r--r--

B.rwxr--r--

C.----w--w-

D.rw-rw-rw-

E.rwxrwxrwx

**Correct:A**

**19.Which single character in a Regular Expression denotes "zero or more occurrences of the previous character"? Answer:**

A.\*

**Correct:A**

**20.Which command displays an Access Control List for a file?**

A.lsacl

B.getacl

C.aclget

D.faclget

E.getfacl

**Correct:E**