

# ***KTest***

更に上のクオリティ 更に上のサービス



## **問題集**

<http://www.ktest.jp>

1年で無料進級することに提供する

**Exam** : **600-212**

**Title** : Implementing Cisco Service  
Provider Mobility LTE  
Networks (SPLTE)

**Version** : DEMO

1.Which three options are valid functions performed by Mobility Management Entity? (Choose three.)

- A. Header compression and user plane ciphering
- B. PDN GW and Serving GW selection
- C. Tracking area list management
- D. User plane packet forwarding and routing
- E. UE IP address allocation
- F. NAS signaling

**Answer:** B,C,F

2.Which two radio technologies are used in LTE? (Choose two.)

- A. OFDMA
- B. MIMO
- C. TDMA
- D. EV-DO
- E. VOR
- F. DME

**Answer:** A,B

3.Which parameter provides support of radio resource management by the MME across the S1 interface?

- A. RFSP index
- B. relative MME capacity
- C. GUTI
- D. OLD-GUTI

**Answer:** A

4.Which two Transport protocols can be used for the S6a interface? (Choose two.)

- A. SCTP
- B. TCP
- C. UDP
- D. FCP
- E. RDP

**Answer:** A,B

5.Which two statements apply during the attach procedure on an MME? (Choose two.)

- A. The attach procedure provides an always-on IP connectivity to the subscriber.
- B. Multiple default bearers can be established during the attach procedure.
- C. A dedicated bearer can also be established during the attach procedure.
- D. The additional guti value in the attach request is derived from a PTMSI.
- E. The attach request is always integrity protected.

**Answer:** A,C