

# *KTest*

更に上のクオリティ 更に上のサービス



## 問題集

<http://www.ktest.jp>

1年で無料進級することに提供する

**Exam** : **7498X**

**Title** : Avaya Oceanalytics insights  
Integration and Support

**Version** : DEMO

1. After running the installation script for Avaya software on the Analytics™ DB server, which log file must be checked to confirm that the installation is successful?

- A. db\_install.log
- B. install\_oracle\_db.log
- C. Oracle\_install\_db.log
- D. install\_db.log

**Answer:** A

**Explanation:**

Reference: <https://downloads.avaya.com/css/P8/documents/101051617> (64)

2. Which script is used to install Analytics Service and with which user must you run this script?

- A. root, ./install\_analytics\_service.sh
- B. oracle, ./install\_Analytics\_Service.sh
- C. oracle, ./install\_analytics\_service.sh
- D. root, ./analytics\_service.sh

**Answer:** A

**Explanation:**

Reference: <https://downloads.avaya.com/css/P8/documents/101051617> (67)

3. A customer wants to debug the logs files for the Oracle Component Installation on Avaya Analytics™ Database Servers.

Which directory location in the servers contain the log files for troubleshooting Oracle Component Installation?

- A. /home/oracle/app/orainventory/logs
- B. /home/oracle/orainventory/logs
- C. /var/home/oracle/app/logs
- D. /home/InstallFiles/avaya

**Answer:** B

**Explanation:**

Reference: <https://downloads.avaya.com/css/P8/documents/101051617>

4. To confirm that there are no errors preventing the OSA server from running successfully, which three log files can the customer review after installing the OSA Server? (Choose three.)

- A. AdminData.log – Monitor for Admin data PUMPUP events.
- B. AvayaAnalytics\_InputAdaptor.log – Monitor for UCM data PUMPUP events.
- C. AvayaAnalytics\_AdminData.log – Monitor for Admin data PUMPUP events.
- D. Server.log – Monitor for Application Errors.
- E. InputAdaptor.log – Monitor for UCM data PUMPUP events.

**Answer:** BCD

5. Refer to the exhibit.

Applicati...		
Deployed Applications		
	Name	State
<input type="radio"/>	routingpointmeasuresmovingwindow.RoutingPointMVMeasures	RUNNING
<input type="radio"/>	IntervalController.IntervalController	RUNNING
<input type="radio"/>	routingervicebyagent.RoutingServiceByAgent	RUNNING
<input type="radio"/>	agentbyaccount.AgentByAccount	RUNNING
<input type="radio"/>	agentbyaccountmovingwindow.AgentByAccountMeasures	RUNNING
<input type="radio"/>	AgentMeasures.Project1	RUNNING
<input type="radio"/>	agentbyroutingmovingwindow.AgentByRoutingMeasures	RUNNING
<input type="radio"/>	RoutingPointMeasures.RoutingPoint	RUNNING
<input type="radio"/>	snmp.snmp	RUNNING
<input type="radio"/>	com.bea.wievs.dataservices	RUNNING
<input type="radio"/>	routingsevicesmeasuresmovingwindow.RoutingServiceMeasures	RUNNING
<input type="radio"/>	ContactDetailApp.ContactDetailProj	RUNNING
<input type="radio"/>	admindata.admindata	RUNNING
<input type="radio"/>	sitemeasuresmovingwindow.SiteMVMeasures	RUNNING
<input type="radio"/>	RoutingServiceMeasures.RoutingService	RUNNING
<input type="radio"/>	agentgroup.AgentGroup	RUNNING
<input type="radio"/>	agenttimeinstate.AgentTimeInStateMeasures	RUNNING
<input type="radio"/>	OceanalInputAdaptor.RefInputAdaptor	RUNNING
<input type="radio"/>	agentmovingwindow.AgentMeasures	RUNNING

How many total applications must be in RUNNING state after successful installation of the Avaya Oceanalytics OSA server?

- A. 18
- B. 16
- C. 20
- D. 23

**Answer: C**