

KTest

更に上のクオリティ 更に上のサービス



問題集

<http://www.ktest.jp>

1年で無料進級することに提供する

Exam : **A00-280**

Title : Clinical Trials Programming
Using SAS 9

Version : Demo

1. Given the following data at WORK.DEMO:

| PTID | Sex | Age | Height | Weight |
|--------|-----|-----|--------|--------|
| 457892 | M | 14 | 69.0 | 112.5 |
| 464389 | F | 13 | 56.5 | 84.0 |
| 478865 | F | 13 | 65.3 | 98.0 |
| 483476 | F | 14 | 62.8 | 102.5 |
| 493847 | M | 14 | 63.5 | 102.5 |
| 500029 | M | 12 | 57.3 | 83.0 |
| 513842 | F | 12 | 59.8 | 84.5 |
| 515151 | F | 15 | 62.5 | 112.5 |
| 522396 | M | 13 | 62.5 | 84.0 |
| 534787 | M | 12 | 59.0 | 99.5 |
| 536777 | F | 11 | 51.3 | 50.5 |
| 546823 | F | 14 | 64.3 | 90.0 |
| 556677 | F | 12 | 56.3 | 77.0 |
| 565699 | F | 15 | 66.5 | 112.0 |
| 578222 | M | 16 | 72.0 | 150.0 |
| 635445 | M | 12 | 64.8 | 128.0 |

Which SAS program prints only the first 5 males in this order from the data set?

A. `proc sort data=WORK.DEMO out=out;`

`by sex;`

`run;`

`proc print data= out (obs=5)`

`;`

`run;`

B. `proc print data=WORK.DEMO(obs=5)`

`;`

`where Sex='M'`

`;`

`run;`

C. `proc print data=WORK.DEMO(where=(sex='M'))`

`;`

`where obs<=5;`

`run;`

D. `proc sort data=WORK.DEMO out=out;`

`by sex descending;`

`run;`

`proc print data= out (obs=5)`

`;`

`run;`

Answer: B

2. Which SAS program will apply the data set label 'Demographics' to the data set named DEMO.?

A. `data demo (label='Demographics')`

`;`

`set demo;`

```
run;  
B. data demo;  
set demo (label='Demographics')  
;  
run;  
C. data demo (label 'Demographics')  
;  
set demo;  
run;  
D. data demo;  
set demo;  
label demo= 'Demographics'  
;  
run;
```

Answer: A

3.The following SAS program is submitted:

```
proc sort data=SASUSER.VISIT out=PSORT;  
by code descending date cost;  
run;
```

Which statement is true regarding the submitted program?

- A. The descending option applies to the variable CODE.
- B. The variable CODE is sorted by ascending order.
- C. The PSORT data set is stored in the SASUSER library.
- D. The descending option applies to the DATE and COST variables.

Answer: B

4.What information can be found in the SAS Dictionary tables? (Choose two.)

- A. datasets contained within a specified library
- B. values contained within a specified format
- C. variables contained within a specified dataset
- D. values contained within a specified variable

Answer: A,C

5.Given the following data set:

| subjid | trt | result | dtime | age |
|--------|-----|--------|-------|-----|
| 1 | | CR | 0 | 56 |
| 2 | A | PD | 1 | 52 |
| 3 | B | PR | 1 | 47 |
| 4 | B | CR | 2 | 29 |
| 5 | 1 | SD | 1 | 39 |
| 6 | C | SD | 3 | 21 |
| 7 | C | PD | 2 | 90 |
| 1 | A | CR | 0 | 43 |
| 3 | B | PD | 1 | 56 |

The following output was generated from PROC PRINT.

| Obs | subjid | trt | result | dtime | age |
|-----|--------|-----|--------|-------|-----|
| 1 | 1 | | CR | 0 | 56 |
| 2 | 2 | A | PD | 1 | 52 |
| 3 | 3 | B | PR | 1 | 47 |
| 4 | 4 | B | CR | 2 | 29 |
| 5 | 5 | 1 | SD | 1 | 39 |
| 6 | 6 | C | SD | 3 | 21 |
| 7 | 7 | C | PD | 2 | 90 |

Which program was used to prepare the data for this PROC PRINT output?

- A. proc sort data=one out=two;
by subjid;
run;
- B. proc sort data=one out=two nodupkey;
by subjid;
run;
- C. proc sort data=one out=two nodup;
by subjid;
run;
- D. proc sort data=one out=two nodupkey;
by subjid trt;
run;

Answer: B

6. This question will ask you to provide a line of missing code.

The following SAS program is submitted:

```
proc freq data=dist;
  <insert code here>
run;
```

to create the following output:

The FREQ Procedure
Table of site by group

| site | group | | | |
|-----------|-------|-------|-------|--------|
| Frequency | | | | |
| Percent | | | | |
| Row Pct | Trt1 | Trt2 | Trt3 | Total |
| SITEA | 15 | 56 | 172 | 243 |
| | 2.80 | 10.47 | 32.15 | 45.42 |
| | 6.17 | 23.05 | 70.78 | |
| SITEB | 24 | 74 | 194 | 292 |
| | 4.49 | 13.83 | 36.26 | 54.58 |
| | 8.22 | 25.34 | 66.44 | |
| Total | 39 | 130 | 366 | 535 |
| | 7.29 | 24.30 | 68.41 | 100.00 |

Which statement is required to produce this output?

- A. TABLES site*group /nocol;
- B. TABLES site*group /norow;
- C. TABLES site*group;
- D. TABLES site*group /nocol norow;

Answer: A

7. Which statement correctly adds a label to the data set?

- A. DATA two Label="Subjects having duplicate observations"
;
set one;
run;
- B. DATA two;
Label="Subjects having duplicate observations"
;
set one;
run;
- C. DATA two;
set one;
Label dataset="Subjects having duplicate observations";
run;
- D. DATA two(Label="Subjects having duplicate observations")
;
set one;
run;

Answer: D

8. Given the following data set:

| SUBJID | GENDER | AGE | TRT |
|--------|--------|-----|-----|
| 4 | M | 63 | 3 |
| 4 | M | 63 | 1 |
| 5 | F | 72 | 4 |
| 1 | F | 45 | 1 |
| 3 | M | 57 | 2 |
| 2 | F | 39 | 1 |
| 3 | M | 57 | 2 |

The following output data set was produced:

| SUBJID | GENDER | AGE | TRT |
|--------|--------|-----|-----|
| 3 | M | 57 | 1 |
| 3 | M | 57 | 1 |
| 4 | M | 63 | 2 |
| 4 | M | 63 | 0 |
| 5 | F | 72 | 3 |

Which SAS program produced this output?

A. `proc sort data=one(where=(age>50)) out=two;`

`by subjid;`

`run;`

B. `proc sort data=one(if=(age>50)) out=two;`

`by subjid;`

`run;`

C. `proc sort data=one out=two;`

`where=(age>50)`

`;`

`by subjid;`

`run;`

D. `proc sort data=one out=two;`

`if age>50;`

`by subjid;`

`run;`

Answer: A

9. CORRECT TEXT

The following question will ask you to provide a line of missing code.

The following program is submitted to output observations from data set ONE that have more than one record per patient.

```
proc sort data=one out=two;
  by subjid;
run;
data two;
  set two;
  <insert code here>
  if (first.subjid ne 1 or last.subjid ne 1) then output ;
run ;
```

In the space below, enter the line of code that will correctly complete the program (Case is ignored. Do not add leading or trailing spaces to your answer.).

Answer: BYSUBJID;BYSUBJID;

10. Given the data set WORK.BP with the following variable list:

| # | Variable | Type | Len | Label |
|---|----------|------|-----|--------------------------|
| 1 | DIABP | Num | 8 | Diastolic Blood Pressure |
| 2 | PTNO | Char | 4 | Patient Number |
| 3 | SYSBP | Num | 8 | Systolic Blood Pressure |

The following SAS program is submitted:

```
ods select ExtremeObs;
proc univariate data=WORK.BP;
  var DIABP;
  id PTNO;
run;
```

Which output will be created by the program?

A.

| Extreme Observations | | | |
|----------------------|-----|---------|-----|
| Lowest | | Highest | |
| Value | Obs | Value | Obs |
| 68 | 190 | 119 | 51 |

B.

| Extreme Observations | | | | | |
|----------------------|------|-----|---------|------|-----|
| Lowest | | | Highest | | |
| Value | PTNO | Obs | Value | PTNO | Obs |
| 68 | 6007 | 190 | 119 | 2710 | 51 |

C.

| Extreme Observations | | | |
|----------------------|-----|---------|-----|
| Lowest | | Highest | |
| Value | Obs | Value | Obs |
| 62 | 129 | 112 | 60 |
| 63 | 8 | 114 | 4 |
| 63 | 133 | 114 | 147 |
| 65 | 22 | 115 | 287 |
| 68 | 190 | 119 | 51 |

D.

| Extreme Observations | | | | | |
|----------------------|------|-----|---------|------|-----|
| Lowest | | | Highest | | |
| Value | PTNO | Obs | Value | PTNO | Obs |
| 62 | 5023 | 129 | 112 | 3020 | 60 |
| 63 | 1890 | 8 | 114 | 1701 | 4 |
| 63 | 5029 | 133 | 114 | 5109 | 147 |
| 65 | 2201 | 22 | 115 | 8077 | 287 |
| 68 | 6007 | 190 | 119 | 2710 | 51 |

A. Option A

B. Option B

C. Option C

D. Option D

Answer: D

11. The following SAS program is submitted:

```
proc univariate data=WORK.STUDY;
  by VISIT;
  class REGION TREAT;
  var HBA1C GLUCOSE;
run;
```

You want to store all calculated means and standard deviations in one SAS data set.

Which statement must be added to the program?

- A. output mean std;
- B. ods output mean=m1 m2 std=s1 s2;
- C. output out=WORK.RESULTS mean=m1 m2 std=s1 s2;
- D. ods output out=WORK.RESULTS mean=m1 m2 std=s1 s2;

Answer: C

12. Which program will report all created output objects in the log?

A. `proc ttest data=WORK.DATA1 ods=trace;`

`class TREAT;`
`var RESULTS;`

`run;`

B. `ods trace on;`

`proc ttest data=WORK.DATA1;`

`class TREAT;`
`var RESULTS;`

`run;`

C. `ods trace=log;`

`proc ttest data=WORK.DATA1;`

`class TREAT;`
`var RESULTS;`

`run;`

D. `ods trace log;`

`proc ttest data=WORK.DATA1;`

`class TREAT;`
`var RESULTS;`

`run;`

Answer: B

13. Review the following procedure format:

```
PROC TTEST data=data;  
  class group-variable;  
  var variable;  
run;
```

What is the required type of data for the variable in this procedure?

- A. Character
- B. Continuous
- C. Categorical
- D. Treatment

Answer: B

14. The following output is displayed:

Table of GENDER by ANSWER

| Frequency | 1 | 2 | 8 | Total |
|-----------|----|----|---|-------|
| 1 | 12 | 22 | 5 | 39 |
| 2 | 22 | 8 | 3 | 33 |
| Total | 34 | 30 | 8 | 72 |

Frequency Missing = 4

Which SAS program created this output?

- A. `proc freq data=WORK.TESTDATA;`
`tables gender * answer / nocol norow nopercnt;`
`run;`
- B. `proc freq data=WORK.TESTDATA;`
`tables answer * gender / nocol norow nopercnt;`
`run;`
- C. `proc freq data=WORK.TESTDATA;`
`tables gender * answer / nocol norow nopercnt missing;`
`run;`
- D. `proc freq data=WORK.TESTDATA;`
`tables answer * gender / nocol norow nopercnt missing;`
`run;`

Answer: A

15. You want 90% confidence limits for a binomial proportion from a one-way table with PROC FREQ. Which option must you add to the TABLES statement?

- A. BINOMIAL
 B. BINOMIAL ALPHA=0.9
 C. BINOMIAL ALPHA=90
 D. BINOMIAL ALPHA=0.1

Answer: D