

# ***KTest***

更に上のクオリティ 更に上のサービス



## 問題集

<http://www.ktest.jp>

1年で無料進級することに提供する

**Exam : C1000-019**

**Title : IBM Spectrum Protect Plus  
V10.1.1 Implementation**

**Version : DEMO**

1.What will cause a report name to be invalid when creating a custom report?

- A. if there is an underscore in the name
- B. if there is a dollar sign \$ in the name
- C. if there are less than 8 characters in the name
- D. if there is a space in the name

**Answer: D**

2.Where is guidance on the appropriate disk technologies and RAID protection levels for the IBM Spectrum Protect Plus vSnap server?

- A. the IBM Spectrum Spectrum Protect Plus – All Requirements Doc
- B. the Disk Magic and Capacity Magic tools
- C. the IBM Spectrum Protect Plus Blueprint
- D. the IBM Spectrum Protect Plus Performance Tuning Guide

**Answer: A**

3.What will cause a file restore to a Windows VM to fail?

- A. The IBM Spectrum Protect Plus Service is not set to Act as part of the operating system in the guest.
- B. iSCSI service is not started in the guest.
- C. A user is logged into the desktop of the guest and the file is being restored to that desktop.
- D. The IBM Spectrum Protect Plus File Restore Enabler is not installed in the guest.

**Answer: D**

4.Which two options describe how the retention of backup data may be defined in an IBM Spectrum Protect Plus SLA policy? (Choose two.)

- A. the number of active versions of each backup to be kept
- B. the number of days the last backup is retained in offloaded IBM Spectrum Protect storage
- C. the number of backups to be kept
- D. the number of days the last backup of a virtual machine is kept when the virtual machine has been deleted
- E. the number of days backups are to be kept

**Answer: CE**

**Explanation:**

Reference: [https://www.ibm.com/support/knowledgecenter/en/SSNQFQ\\_10.1.0/spp/t\\_spp\\_config\\_sla\\_pol.html](https://www.ibm.com/support/knowledgecenter/en/SSNQFQ_10.1.0/spp/t_spp_config_sla_pol.html)

5.How can the network interface information be reviewed?

- A. expand the Backup Storage Server Details in the System view
- B. ping the vSnap Storage Server and verify the IP address and name resolution
- C. click the Manage Backup Storage icon of a Backup Storage and review the network interface
- D. run the vsnap networkshow command to list network interfaces and the services that are associated with each interface

**Answer: D**

**Explanation:**

Reference: [https://www.ibm.com/support/knowledgecenter/SSNQFQ\\_10.1.1/spp/b\\_isplusplus\\_guide.pdf](https://www.ibm.com/support/knowledgecenter/SSNQFQ_10.1.1/spp/b_isplusplus_guide.pdf)

(36)