

KTest

更に上のクオリティ 更に上のサービス



問題集

<http://www.ktest.jp>

1年で無料進級することに提供する

Exam : **HP0-242**

Title : Supporting the ESL9000

Version : DEMO

1.On which Operator Control Panel screen can you read error logs?

- A.Overview
- B.Tapes
- C.Operator
- D.Service

Correct:C

2.The Use Barcodes button on the Systest Library screen of an ESL library is activated. What occurs?

- A.Selected cartridges are swapped during the test, based on the barcode label.
- B.Barcodes are read as cartridges are swapped.
- C.Cartridges are not swapped; barcodes are used to simulate cartridge swapping.
- D.Cartridges are returned to the previous location after the test terminates.

Correct:B

3.What is the maximum number of times an HP Ultrium cleaning cartridge can be used?

- A.5
- B.10
- C.15
- D.20

Correct:C

4.What is the format of the ESL Interface Manager Command Line Interface command prompt?

- A.CLI >
- B./ >
- C.IM >
- D. >

Correct:B

5.The Interface Manager card in an ESL library connects to the Fibre Channel Interface Controllers across a ____.

- A.PCI bus
- B.multimode Fibre Channel cable
- C.private Ethernet cable
- D.serial cable

Correct:C

6.The Actions button on a Command View ESL screen is used to ____.

- A.perform the selected action
- B.open a menu of currently available actions
- C.display information about the current action
- D.take control over the current action

Correct:B

7.From which Operator Control Panel screen can you configure library options?

- A.License
- B.Tapes
- C.Services
- D.Operator

Correct:D

8.The cascade port of the Interface Manager card in an ESL library uses ____.

- A.DHCP by default to acquire an IP address across the network
- B.a pre-assigned, customizable IP address
- C.no IP address by default; you must set it during the configuration process
- D.a hardcoded IP address that cannot be changed

Correct:D

9.What is the default baud rate for configuring the Fibre Channel interface card though the serial connection?

- A.9600
- B.19200
- C.57600
- D.115200

Correct:D

10.Which connection type has the highest priority when connecting to a Network Storage Router (NSR) through the Interface Manager card?

- A.Command View ESL
- B.Telnet
- C.FTP
- D.Serial

Correct:D