

KTest

更に上のクオリティ 更に上のサービス



問題集

<http://www.ktest.jp>

1年で無料進級することに提供する

Exam : **HP0-655**

Title : Data Protector 5.5 Basics
for Windows

Version : DEMO

1.After the Media Management Databases are merged from other cells into the Manager of Managers database, what is the new name for this database?

- A.CMDB (Central Management Database)
- B.MoMDB (Manager of Managers Database)
- C.MMMDB (Merged Media Management Database)
- D.CMMDB (Centralized Media Management Database)

Correct:D

2.How many Data Protector cells can be managed by a single Manager-of-Managers?

- A.25
- B.50
- C.100
- D.1000

Correct:B

3.A single tape device is used in a SAN and configured for multiple Data Protector clients. Which option causes it to be recognized as a single device, requiring one drive extension license?

- A.Multipath
- B.Autopass
- C.Direct backup
- D.Indirect backup

Correct:A

4.What is the default value of the "Reconnect broken connections" option in the Data Protector backup specification?

- A.All (Control and Data connections)
- B.Control connections only
- C.Data connections only
- D.Off (Do not reconnect)

Correct:D

5.What is the maximum recommended size of a file depot for Windows?

- A.50GB
- B.100GB
- C.200GB
- D.600GB

Correct:A

6.What is the result of a successful backup session using object mirroring?

- A.All backups and mirrored objects are appended to the same media.
- B.Mirrored objects are written to a special mirror pool and the backup is written to the specified media set.
- C.All backups and mirrored objects are in the same media pool.
- D.One media set contains the backup and additional media sets contain the mirrored objects.

Correct:D

7.Which section of the backup specification contains the information about the backup target drives?

- A.objects
- B.devices
- C.media pools

D.backup types

Correct:B

8.Between which instances is data moved during a disk staging object copy process?

- A.Media Agent and Disk Agent
- B.Media Agent and Media Agent
- C.Backup Session Manager and Disk Agent
- D.Backup Session Manager and Media Agent

Correct:B

9.What happens to shared logical devices in a SAN environment when you upgrade Data Protector to version 5.5?

- A.Shared logical devices must be deleted prior to the upgrade and then reconfigured as multipath devices.
- B.Shared logical devices are not reconfigured during the upgrade and can be used as before or reconfigured as multipath devices.
- C.Shared logical devices are deleted during the upgrade and must be reconfigured as multipath devices.
- D.Shared logical devices are automatically reconfigured as multipath devices during the upgrade.

Correct:B

10.Which CLI command scans specified Data Protector clients and gathers information on SCSI addresses of drives and robotic controllers connected to the clients in a SAN environment?

- A.uma
- B.omnisan
- C.sanconfig
- D.omniconfigsan

Correct:C

11.The Data Protector scheduler allows for scheduling of which entity?

- A.media agent
- B.logical device
- C.backup object
- D.backup session
- E.backup specification

Correct:E

12.In the Data Protector GUI "Users" context with default setting applied, a user on a remote system may be configured into one of three roles. What are these roles? Select THREE.

- A.admin
- B.root
- C.guest
- D.operator
- E.java
- F.user

Correct:A D F

13.What can Data Protector use to generate the media label during media initialization?

- A.unique number issued by the internal database
- B.serial number of the drive used for initialization
- C.barcode label of the media
- D.media type

Correct:C

14.What are the three key qualifiers Data Protector uses to identify file system objects in the database? Select THREE.

- A.description
- B.filenamees
- C.mountpoint
- D.device
- E.rawdisk sections
- F.hostname

Correct:A C F

15.Your internal database is inoperable and an automated recovery is to be used. Which command allows you to perform this task?

- A.omnir -autorecover
- B.omnidb -autorecover
- C.omnisv -autorecover
- D.omnidbutil -autorecover
- E.omnidbrestore -autorecover

Correct:E

16.By default, which file is the Data Protector Database recovery file?

- A.obdb.dat
- B.obrindex.dat
- C.obdatafiles.dat
- D.obdbrecovery.dat

Correct:B

17.When preparing for internal database recovery, you should regularly backup the internal database object. What does this object include? Select TWO.

- A.the entire IDB
- B.the Cell Manager OS system configuration
- C.the Cell Manager DP program directories
- D.the pre-exec and post-exec scripts
- E.the DP configuration

Correct:A E

18.Which file must you edit to enable Data Protector internal database transaction logging?

- A.omnirc.TMPL
- B.velocis.ini
- C.obrindex.dat
- D.global file

Correct:B

19.The default installation of Data Protector includes an automatic database purge. This happens daily at what time?

- A.00:00
- B.12:00
- C.15:00
- D.22:00

Correct:B

20.Where is the file version information stored?

- A.Catalog Database (CDB)
- B.Session Messages Binary Files (SMBF)
- C.Detail Catalog Binary Files (DCBF)
- D.Media Management Database (MMDB)

Correct:C