

# ***KTest***

高品質 より良いサービス



## **練習問題**

<https://www.ktest.jp>

1年間無料アップデート

**Exam : HP0-Y42**

**Title : Implementing HP  
TippingPoint Solutions**

**Version : Demo**

1. Click the Exhibit button.

| 2400E# show np rule-stats |       |         |         |           |          |            |
|---------------------------|-------|---------|---------|-----------|----------|------------|
| Filter                    | Flows | Success | % Total | % Success | Zoneless | % Zoneless |
| 8915                      | 2289  | 0       | 19      | 0.00      | 0        | 0          |
| 6375                      | 1132  | 0       | 9       | 0.00      | 0        | 0          |
| 1380                      | 990   | 0       | 8       | 0.00      | 0        | 0          |
| 657                       | 926   | 463     | 7       | 50.00     | 0        | 0          |
| 1450                      | 507   | 335     | 4       | 66.07     | 0        | 0          |
| 3740                      | 507   | 0       | 4       | 0.00      | 0        | 0          |
| 1130                      | 377   | 0       | 3       | 0.00      | 0        | 0          |
| 1129                      | 377   | 337     | 3       | 89.38     | 0        | 0          |
| 588                       | 370   | 370     | 3       | 100.00    | 0        | 0          |
| 5456                      | 330   | 0       | 2       | 0.00      | 0        | 0          |
| 6545                      | 330   | 0       | 2       | 0.00      | 0        | 0          |
| 5457                      | 330   | 0       | 2       | 0.00      | 0        | 0          |
| 6515                      | 330   | 0       | 2       | 0.00      | 0        | 0          |
| 4616                      | 330   | 0       | 2       | 0.00      | 0        | 0          |
| 1365                      | 330   | 0       | 2       | 0.00      | 0        | 0          |
| 1698                      | 206   | 103     | 1       | 50.00     | 0        | 0          |
| 1279                      | 180   | 0       | 1       | 0.00      | 0        | 0          |
| 495                       | 180   | 0       | 1       | 0.00      | 0        | 0          |
| 1117                      | 180   | 0       | 1       | 0.00      | 0        | 0          |
| 1109                      | 180   | 0       | 1       | 0.00      | 0        | 0          |
| Total of 11930 flows      |       |         |         |           |          |            |

Which filters share the same trigger? (Select two.)

- A. 1129 and 8915
- B. 5456, 6545, 5457, 6515, 4616, 1365
- C. 657, 1450, 3740 and 588
- D. 1129, 1117, 1109
- E. 495, 1117, 1109

**Answer:** B,E

2. Click the Exhibit button.

| 2400E# show np rule-stats |       |         |         |           |          |            |
|---------------------------|-------|---------|---------|-----------|----------|------------|
| Filter                    | Flows | Success | % Total | % Success | Zoneless | % Zoneless |
| 8915                      | 2289  | 0       | 19      | 0.00      | 0        | 0          |
| 6375                      | 1132  | 0       | 9       | 0.00      | 0        | 0          |
| 1380                      | 990   | 0       | 8       | 0.00      | 0        | 0          |
| 657                       | 926   | 463     | 7       | 50.00     | 0        | 0          |
| 1450                      | 507   | 335     | 4       | 66.07     | 0        | 0          |
| 3740                      | 507   | 0       | 4       | 0.00      | 0        | 0          |
| 1130                      | 377   | 0       | 3       | 0.00      | 0        | 0          |
| 1129                      | 377   | 337     | 3       | 89.38     | 0        | 0          |
| 588                       | 370   | 370     | 3       | 100.00    | 0        | 0          |
| 5456                      | 330   | 0       | 2       | 0.00      | 0        | 0          |
| 6545                      | 330   | 0       | 2       | 0.00      | 0        | 0          |
| 5457                      | 330   | 0       | 2       | 0.00      | 0        | 0          |
| 6515                      | 330   | 0       | 2       | 0.00      | 0        | 0          |
| 4616                      | 330   | 0       | 2       | 0.00      | 0        | 0          |
| 1365                      | 330   | 0       | 2       | 0.00      | 0        | 0          |
| 1698                      | 206   | 103     | 1       | 50.00     | 0        | 0          |
| 1279                      | 180   | 0       | 1       | 0.00      | 0        | 0          |
| 495                       | 180   | 0       | 1       | 0.00      | 0        | 0          |
| 1117                      | 180   | 0       | 1       | 0.00      | 0        | 0          |
| 1109                      | 180   | 0       | 1       | 0.00      | 0        | 0          |
| Total of 11930 flows      |       |         |         |           |          |            |

The action set for filter 657 is set to lock + Notify + Email.?How can you alter the filter to improve performance without affecting security.?

- A. Disable the filter and configure a Traffic Management Rule.
- B. Change the action set for filter 657 to "Block."
- C. Turn on Packet Capture for filter 657 to analyze the behavior of the traffic.
- D. Turn off the filters that reside above 657 (6545, 6515, 5457 and 5456) in order to move filter 657 to the top of the list.

**Answer: B**

3.Where does the TSE apply a rate-limit?

- A. Header Processing
- B. Threat Verification
- C. Flow Control
- D. Flow Table

**Answer: C**

4.What is the purpose of HP TippingPoint SMS named resources?

- A. They enable Active Directory to authenticate log in requests.
- B. They allow you to easily identify source and destination in Events.
- C. They hide you from specified external resources.
- D. They enable RADIUS to authenticate log in requests.

**Answer: B**

5.Time synchronization between an HP TippingPoint IPS and SMS is a default requirement when a new management connection is configured. Which statement best describes the reason for this is requirement?

- A. Time synchronization is required for the secure management connection between the IPS and SMS.
- B. Time synchronization is required for the SNMP connection between the IPS and SMS.
- C. Time synchronization is required for the database connection in the SMS.
- D. Time synchronization is required for accurate reporting between the IPS and SMS.

**Answer: D**