

# ***KTest***

更に上のクオリティ 更に上のサービス



## **問題集**

<http://www.ktest.jp>

1年で無料進級することに提供する

**Exam** : **I40-420**

**Title** : Certified Function Point  
Specialist

**Version** : Demo

1. When counting DETs which of the following rules apply?

- A. Count a DET for each recursive field on the ILF or EIF
- B. Count a DET for each piece of data in an ILF or EIF required by the user to establish a relationship with another ILF or EIF
- C. Count a DET for each repeating field that is identical in format
- D. Count a DET for each field that appears more than once in an ILF or EIF

**Answer: B**

2. Which of the following is an attribute used to represent relationships of one entity to another.?

- A. Primary key
- B. Secondary key
- C. Foreign key
- D. Domestic key

**Answer: C**

3. Which category (ies) of data entities is (are) usually identified to satisfy the Functional User Requirements?

- A. Business data
- B. Reference data
- C. Code data
- D. Both A and B

**Answer: D**

4. What is a (are) valid example(s) of code data?

- A. Substitution data
- B. Static data
- C. Valid values
- D. All of the above

**Answer: D**

5. What is a user identifiable group of logically related data or control information referenced by the application, but maintained within the boundary of another application?

- A. An ILF
- B. An IIF
- C. An EIF
- D. An ELF

**Answer: C**

6. Which of the following is NOT an example of the purpose of a function point count?

- A. To enable comparison of functionality delivered by two applications
- B. To determine maintenance support cost per function point
- C. To understand the percentage of lines of code that is being reused across three different applications
- D. To determine the effort and duration of a development project

**Answer: C**

7.Which of the following statements regarding the counting scope is true?

- A. It defines the set of Functional User Requirements to be included in the FP count
- B. It always includes more than one application
- C. It determines the purpose of the applications being counted
- D. It defines a (sub) set of the modules being sized

**Answer: A**

8.Which of the following is NOT true of a boundary?

- A. It encloses the logical data maintained by the application
- B. It is the physical interface between the software under study and its users
- C. It is dependent on the user's external business view of the application and is independent of technical and/or implementation considerations
- D. It defines what is external to the application

**Answer: B**

9.An example of the purpose of an FP count is to provide:

- A. input to the estimation process needed to determine the level of effort to develop the first release of an application
- B. a comparison of functionality delivered by two different suppliers' packages
- C. determine the size of an application as part of the organization's effort to determine the size of its software portfolio
- D. All of the above

**Answer: D**

10.Which of the following defines the purpose of a count?

- A. Provides an answer to a business question, and it is the business question that determines the purpose
- B. Influences the positioning of the application between the software under review and the surrounding software
- C. Influences the type of FP count to answer the business problem under investigation
- D. Provides an input to the estimation process needed to determine the level of effort required to develop the first release of an application

**Answer: A**

11.Which of the following statements about an External Input is true?

- A. Has the primary intent to maintain one or more ILFs
- B. An elementary process to hold data or control information from outside the boundary
- C. Has the primary intent to alter the behavior of a transaction
- D. Has the primary intent to reference one or more EIFs

**Answer: A**

12.An EI is defined as:

- A. an elementary process that processes data sent from outside the application boundary

- B. control information sent from outside the user view
- C. an elementary process that processes data or control information sent from outside the application's boundary
- D. All of the above

**Answer: C**

13. Control information is defined as data that:

- A. defines an elementary process of the application being counted
- B. influences an elementary process of the application being counted
- C. controls an elementary process of the application being counted
- D. does not influence an elementary process of the application being counted

**Answer: B**

14. What is an elementary process?

- A. The smallest unit of activity that is meaningful to the developer
- B. The largest unit of activity that is meaningful to the user
- C. The smallest unit of activity that is meaningful to the user
- D. The largest unit of activity that is meaningful to the developer

**Answer: C**

15. The primary intent of an EI is to maintain:

- A. One or more ILFs or alter the behavior of the application
- B. One or more ILFs
- C. One or more EIFs or alter the behavior of the application
- D. One or more EIFs

**Answer: A**

16. "Requirements specifically requested by the user to complete an elementary process" defines which of the following terms?

- A. Control information
- B. Processing logic
- C. Maintain
- D. User identifiable

**Answer: B**

17. Which of the following statements regarding functional size measurement is true?

- A. Early functional size measurements can never change during design and coding phase
- B. It is quite normal to identify additional functionality that was not specified in the original requirements in the form of scope creep
- C. It is not necessary to update the application functional size upon completion of an enhancement.
- D. Both B and C

**Answer: B**

18. An application FP count is defined as:

- A. a measure of the current functions the application provides the user
- B. the initial development project FP count
- C. an enhancement project that alters the applications functions
- D. the activity of applying this International Standard to measure the functional size of an application

**Answer: D**

19.Which of the following statements is (are) true regarding an application functional size (FS)?

- A. It provides a measure of the functionalities that an application provides to the user
- B. It is never updated after the initial application installation
- C. It is associated with an application's lifecycle
- D. Both A and C

**Answer: D**

20.What is true about conversion functionality?

- A. Transactional or data functions provided to convert data and /or provide other user specified conversion requirements
- B. Exists only during the development or enhancement of an application
- C. Conversion functionality is outside the scope of FP counting
- D. Both A and B

**Answer: D**