

# ***KTest***

高品質 より良いサービス



## **練習問題**

<https://www.ktest.jp>

1年間無料アップデート

**Exam : C1000-112**

**Title :** Fundamentals of Quantum  
Computation Using Qiskit  
v0.2X Developer

**Version :** DEMO

1. Which of the below statements plots how the qubits are connected in the ibmq\_santiago system?

A)

```
from qiskit.visualization import plot_device_map
backend = provider.get_backend('ibmq_santiago')
plot_device_map(backend, plot_directed=True)
```

B)

```
from qiskit.visualization import plot_gate_map
backend = provider.get_backend('ibmq_santiago')
plot_gate_map(backend, plot_directed=True)
```

C)

```
from qiskit.visualization import plot_qubit_map
backend = provider.get_backend('ibmq_santiago')
plot_qubit_map(backend, plot_directed=True)
```

D)

```
from qiskit.visualization import plot_system_map
backend = provider.get_backend('ibmq_santiago')
plot_system_map(backend, plot_directed=True)
```

A. Option A

B. Option B


C. Option C

D. Option D


**Answer: B**

2. Which of the following multi qubit-gate represents the controlled-z gate?


A)




B)



C)



D)



- A. Option A
- B. Option B
- C. Option C
- D. Option D

**Answer: C**

3.Which one of the below statements is invalid when drawing the quantum circuit?

- A. `qc.draw(output='mpl')`
- B. `qc.draw(output='text')`
- C. `qc.draw(output='latex')`
- D. `qc.draw(output='png')`

**Answer: D**

4.What fundamental property of classical information is distinctly different in quantum information?

- A. Deterministic encoding
- B. Limited storage capacity
- C. Non-locality and superposition
- D. Binary representation

**Answer: C**

5.What is the role of the Toffoli gate in a quantum circuit?

- A. Reverses the state of a qubit
- B. Acts as a controlled-controlled-NOT gate
- C. Implements a phase shift on qubits
- D. Creates entanglement between qubits

**Answer: B**