



問題集

http://www.ktest.jp 1年で無料進級することに提供する Exam : E20-690

Title : VNX Solutions Specialist

Exam for Platform

Engineers

Version: DEMO

- 1. Which VNX enclosures use a common motherboard architecture?
- A. DME and SPE
- B. DPE and SPE
- C. DPE and 25-drive DAE
- D. Control Station and DME

Answer: A

- 2. What protocols does the Data Mover support?
- A. CIFS, NFS, pNFS and MPFS
- B. CIFS, pNFS, and SCSI
- C. MPFS, HTTP, FTP, and NFS
- D. NFS, FC, and CIFS

Answer: A

- 3. What are the minimum components required to configure a VNX5500 for Block storage system?
- A. Control Station, SP, DAE
- B. Control Station, SP, DME
- C. SP, DME, DAE
- D. SPS, SPE, DAE

Answer: D

- 4. Which kind of back-end bus connectivity is supported on a VNX storage system?
- A. 4 lane 6 Gb/s SAS
- B. 4 lane 6 Gb/s FC
- C. 2 lane 6 Gb/s SAS
- D. 2 lane 6 Gb/s FC

Answer: A

- 5. How are SAS bus hardware IDs configured for the VNX enclosures?
- A. Automatically assigned during system boot process
- B. Assigned by the address switch located on each enclosure
- C. Assigned by Unisphere Service Manager
- D. Assigned by the Backend Bus Reset Wizard in Unisphere

Answer: A